

#### රුහුණා විශ්වවිදයාලය றுஹுண பல்கலைக்கழகம் UNIVERSITY OF RUHUNA

වෛදප පීඨය மருத்துவ, பீடம் Faculty of Medicine **ஸ்ப்பீப்**கு, **முற்று**, 80000 இ **ஒவைல்** கராபிட்டிய காலி 80000 இலங்கை Karapitiya Galle 80000 Sri Lanka

මගේ අංකය எனது எண் My No.

RMF/GSQ/21S/2024/05

ඔබේ අංකග உங்களது எண் Your No.

**BY E-Mail & Registered Post** 

03.09.2024

Sales Manager,

#### Supply, installation, Commissioning, Testing and Maintenance of -20° C Freezer and Pipettes for the Faculty of Medicine, University of Ruhuna, - RMF/GSQ/NS/2024/05

I kindly request you to submit your sealed quotation for Supply, Installation, Commissioning, Testing and Maintenance of -20° C Freezer and Pipettes for Faculty of Medicine, University of Ruhina Karapitiya on or before at 2.00 p.m. on 19th of September 2024 by registered post, courier or hand.

Senior Assistant Bursar Faculty of Medicine

දුරකථන00,5™ ຄາຍ3µசிTelephone (+94) 91 - 2243237

**രാത്ത്. പ**ക്ஸ്Fax (+94) 91 - 2243237

் மேல்லின்னஞ்சல்E-mail anushaa@admin.ruh.ac.lk ih.ac.lk **ேலிரு நில்கு இலையை, ந்து எ**ம் Web http://www.eng.ac



#### **UNIVERSITY OF RUHUNA**

#### PROCUREMENT OF GOODS UNDER NATIONAL SHOPPING PROCEDURES

#### INVITATION FOR QUOTATIONS FOR PROCUREMENT OF

# Supply, Installation, Commissioning, Testing and Maintenance of -20<sup>0</sup> C Freezer and Pipettes for the Faculty of Medicine, Karapitiya, Galle.

#### RMF/GSQ/NS/2024/05

Bidde	r	••••	••••	••••	••••	••••	••••	••••	•••••	• • • •
	••••	•••	•••	• • • •	• • • • •	••••		• • • • •	• • • • • •	•••
	••••	• • • •	•••		••••	••••	••••		•••••	•••
	••••	••••	•••	••••	••••	••••		• • • • •	• • • • • •	•••

September 2024

# **Section I. Instructions to Vendors (ITV)**

A: General						
1. Scope of Bid	<ul><li>1.1 The Purchaser named in the Data Sheet invites you to submit a sealed quotation for the supply of Goods as specified in Section III Schedule of Requirements.</li></ul>					
	B: Contents of Documents					
2. Contents of Documents	2.1 The documents consist of the Sections indicated below.					
	• Section I. Instructions to Vendors (ITV)					
	Section II. Data Sheet					
	Section III. Schedule of Requirements					
	Section IV. Technical Specifications & Compliance with     Specifications					
	• Section V. Quotation submission Form(s)					
	C: Preparation of Quotation					
3. Documents	3.1 The Quotation shall comprise the following:					
Comprising your	(a) Quotation Submission Form and the Price Schedules;					
Quotation	(b) Technical Specifications & Compliance with Specifications					
4. Quotation Submission Form and Price Schedules	4.1 The vendor shall submit the Quotation Submission Form using the form furnished in Section V. This form must be completed without any alterations to its format, and no substitutes shall be accepted. All blank spaces shall be filled in with the information requested.					
	4.2 Alternative offers shall not be considered. The vendors are advised not to quote different options for the same item but furnish the most competitive among the options available to the bidder.					
5. Prices and Discounts	5.1 Unless specifically stated in Data Sheet, all items must be priced separately in the Price Schedules.					
	5.2 The price to be quoted in the Quotation Submission Form shall be the total price of the Quotation, including any discounts offered.					
	5.3 The applicable VAT shall be indicated separately.					
	5.4 Prices quoted by the vendor shall be fixed during the vendor's performance of the Contract and not subject to variation on any account. A Quotation submitted with an adjustable price shall be treated as non responsive and may be rejected.					

6. Currency	6.1 The vendors shall quote only in Sri Lanka Rupees.
7. Documents to Establish the Conformit y of the Goods	<ul> <li>7.1 The vendor shall furnish as part of its quotation the documentary evidence that the Goods conform to the technical specifications and standards specified in Section IV, "Technical Specifications &amp; Compliance with Specifications".</li> </ul>
	7.2 The documentary evidence may be in the form of literature, drawings or data, and shall consist of a detailed item by item description of the essential technical and performance characteristics of the Goods, demonstrating substantial Responsiveness of the Goods to the technical specifications, and if applicable, a statement of deviations and exceptions to the provisions of the Technical Specifications given.
	7.3 If stated in the Data Sheet the vendor shall submit a certificate from the manufacturer to demonstrate that it has been duly authorized by the manufacturer or producer of the Goods to supply these Goods
8. Period of Validity of quotation	8.1 Quotations shall remain valid for the period of sixty (60) days after the quotation submission deadline date.
9. Format and Signing of Quotation	9.1 The quotation shall be typed or written in indelible ink and shall be signed by a person duly authorized to sign on behalf of the vendor.
	D: Submission and Opening of Quotation
11. Submission of Quotation	<b>11.1</b> Vendors may submit their quotations by register mail, courier or by hand in sealed envelopes addressed to the Purchaser and bear the specific identification of the quotation number.
	11.2 If the quotation is not sealed and marked as required, the Purchaser will assume no responsibility for the misplacement or premature opening of the quotation.
12. Deadline for Submission of Quotation	12.1 Quotation must be received by the Purchaser at the address set out in Section II, "Data Sheet", and not later than the date and time as specified in the Data Sheet.
13. Late Quotations	13.1 The Purchaser shall reject any quotation that arrives after the deadline for submission of quotations, in accordance with ITV Clause 11.1 above.
14. Opening of Quotations	<ul><li>14.1 The Purchaser shall conduct the opening of quotation in public at the address, date and time specified in the Data Sheet.</li><li>14.2 A representative of the bidders may be present and mark his</li></ul>
	attendance.

]	E: Evaluation and Comparison of Quotations
15. Clarifications	<ul> <li>15.1 To assist in the examination, evaluation and comparison of the quotations, the Purchaser may, at its discretion, ask any vendor for a clarification of his quotation. Any clarification submitted by a vendor in respect to his quotation which is not in response to a request by the Purchaser shall not be considered.</li> <li>15.2 The Purchaser's request for clarification and the response shall be in writing.</li> </ul>
16. Responsiveness of Quotations	<ul><li>16.1 The Purchaser will determine the responsiveness of the quotation to the documents based on the contents of the quotation received.</li><li>16.2 If a quotation is evaluated as not substantially responsive to the documents issued, it may be rejected by the Purchaser.</li></ul>
17. Evaluation of quotations	<ul> <li>17.1 The Purchaser shall evaluate each quotation that has been determined, to be substantially responsive.</li> <li>17.2 To evaluate a quotation, the Purchaser may consider the following: <ul> <li>(a) the Price as quoted;</li> <li>(b) price adjustment for correction of arithmetical errors;</li> <li>(c) price adjustment due to discounts offered.</li> </ul> </li> <li>17.3 The Purchaser's evaluation of a quotation may require the Consideration of other factors, in addition to the Price quoted if stated in Section II, Data Sheet. These factors may be related to the characteristics, performance, and terms and conditions of purchase of the Goods.</li> </ul>
18. Purchaser's Right to Accept any Quotation, and to Reject any or all Quotations	18.1 The Purchaser reserves the right to accept or reject any quotation, and to annul the process and reject all quotations at any time prior to acceptance, without thereby incurring any liability to bidders.

	F: Award of Contract
19. Acceptance of the Quotation	19.1 The Purchaser will accept the quotation of the vendor whose offer has been determined to be the lowest evaluated bid and is substantially responsive to the documents issued.
20. Notification of acceptance	20.1 Prior to the expiration of the period of validity of quotation, the Purchaser will notify the successful vendor, in writing, that his quotation has been accepted.
21. Performance security	21.1 Amount of performance security required is 10% of the Initial Contract Price and form acceptable is unconditional guarantee or bond given in the Standard Form of Performance Security valid for a period of 28 days beyond the warrantee period from the date of award of contract.
22. Payment	22.1 Payment shall be made within One Month after receiving the invoice
23. Liquidated Damages	23.1 The supplier should deliver the items within the delivery period stipulated in the schedule of requirements. The supplier should make payment to the purchaser for each week of delay in delivery, at the rate of 0.5% of the contract sum per each week of delay, up to a maximum of 10% of the contract sum.

## Section II: Data Sheet

ITV	
Clause	
Reference	
1.1	The Purchaser is : Vice Chancellor, University of Ruhuna Address: Faculty of Medicine, Karapitiya
5.1	If the bidder is allowed to quote for lesser number of items than the total number of items specified, indicate the details: Bidders are allowed to quote for any item or all the items
	Bidders are anowed to quote for any item of an the items
7.3	Manufacturer's Authorization is required.
11.1	Address for submission of Quotations is "RMF/GSQ/NS/2024/05" marked on the top left-hand corner of the envelope and addressed to Senior Assistant Bursar, Faculty of Medicine, Karapitiya, Galle.
	Deadline for submission of quotations is on or before <b>02.00 p.m. on 19<sup>th</sup> September 2024</b>
13	The quotations shall be opened at the following address: Senior Assistant Bursar'sOffice, Faculty of Medicine, Karapitiya, Galle.
16	Other factors that will be considered for evaluation are (List and describe the Methodology): Should satisfy the given requirements

## **Section III: Schedule of Requirements**

*Note:* 1. Bidders may be quoted for any item or all items Evaluation will be done separately for each item based on the price of individual item All items should be delivered within 4 weeks after placing the order. No time extension will be considered.

Item	Brief Description of the	Specifications	Quantity	Delivery Period in	Place of Delivery &	Installation and warranty
No.	Goods			Days from issue of	installation	<b>Requirements if any</b>
				Purchase Order		
1	-20 <sup>0</sup> C Freezer	Please refer Section IV - 01	1 Nos	4 weeks	Faculty of Medicine, Karapitiya, Galle	Supply, Installation, Commissioning, Testing and Maintenance to be done by the Supplier.
2	Multi- Channel Micro Pipette (30-300µl)	Please refer Section IV - 02	2 Nos	4 weeks	Faculty of Medicine, Karapitiya, Galle	Supply, Installation, Commissioning, Testing and Maintenance to be done by the Supplier.
3	Single channel (variable) (100-1000µl)	Please refer Section IV - 03	1 Nos	4 weeks	Faculty of Medicine, Karapitiya, Galle	Supply, Installation, Commissioning, Testing and Maintenance to be done by the Supplier.
4	Single channel (variable) (10-200µl)	Please refer Section IV - 04	1 Nos	4 weeks	Faculty of Medicine, Karapitiya, Galle	Supply, Installation, Commissioning, Testing and Maintenance to be done by the Supplier.
5	Single channel (variable) (1-10µl)	Please refer Section IV - 05	1 Nos	4 weeks	Faculty of Medicine, Karapitiya, Galle	Supply, Installation, Commissioning, Testing and Maintenance to be done by the Supplier.

# Section IV : Technical Specifications & Compliance with Specifications

#### 01. Specifications for -20°C Freezer

SPECIFICATIONS	REQUIREMENTS	Bidders Compliance			
		Yes/No	If "No" indicate your offer		
Brand	(Specify)				
Model	(Specify)				
Country of Origin	(Specify)				
Internal Volume (liters)	400L				
No. of tray	4				
Internal Dimensions W x D x H (mm)	660 x 765 x 850				
External Dimensions W x D x H (mm)	800 x 975 x 1420				
Minimum temperature	-20 Degree C				
Insulation (CFC free polyurethane foam)	80mm minimum for body & 80 mm for door				
Temperature control	Microprocessor				
Display	1-7 segment, Big size led				
Power failure alarm	Visual alarm				
Door open alarm	Audio visual alarm in case door open for over minute				
Illumation	No				
Internal body material	Stainless steel -304 grade (standard models, stainless steel -316 grade (GMP models)				
External body material	Powder coated CRCA steel (stainless steel -304 grade (GMP models)				
Noise level	Less than 65 db (A)				
Recommended voltage stabilizer	VS-03				
Supply	220-240Volts, 50Hz Single phase				
Warranty	3 Year Comprehensive				

## 02. Specifications for Multi- Channel Micro Pipette (30-300µl)

Description	Requirements	Confo	ormity	If No,
Description	Requirements	Yes No		Bidder's Response
Brand	(Specify)			
Model	(Specify)			
Country of Origin	(Specify)			
Adjust Volume Easily with Plunger	The Plunger has been carefully designed with a high-quality spring mechanism to ensure snag free, soft movement. Simply turn it to adjust the instrument's volume comfortably.			
Use Various Tips with a Universal Tip cone	A Universal Tip cone enhances the compatibility of the instrument and enables it to easily work with most of the internationally accepted standard tips.			
Set the Volume with Perfection	A soft click sound at every increment ensures perfect volume setting and prevents any accidental changes. It also facilitates single-handed operation			
Store Safely with a Holder	The instrument includes a Holder that enables easy, efficient and safe storage			
Eject Tips Easily with a Sequential Tip Ejector	A specially designed Sequential Tip Ejector and Tip Ejection Knob facilitate easy and effortless tip ejection, single-handedly			
Work with a Good Grip	A specially designed large Grippy provides good grip and great ease of use while operating.			
Channel No	08			
Work with a Comprehensive Volume Range	30-300 μl			
Operate Flexibly	The lower housing of both the instruments can be rotated 360° providing enhanced operational flexibility			
Assured Quality with ISO 8655 Conformed Calibration	Calibrated in an ISO 17025 accredited laboratory according to ISO 8655 standards. A calibration			

	certificate is included inside the		
	product package. A calibration tool is		
	also included for quick in-lab		
	recalibration		
	The instruments are fully		
Autoclaving Parameters	autoclavable at 121°C and 15 psi for		
	a duration of 10-15 minutes		
Warranty			
	2 years comprehensive		

#### 03. Specifications for Single channel (variable) (100-1000µl)

Description	Requirements	Conf	ormity	lf No,		
			No	Bidder 's Respo nse		
Brand	(Specify)					
Model	(Specify)					
Country of Origin	(Specify)					
Calibration certificate	(Specify)					
Manufacturing quality Certification	(Specify)					
Volume Range	100-1000 µl					
Accuracy	±1.5 - 0.6%					
Repeatability	≤0.3 - 0.15%					
Compatible Tips	<u>C2002V3</u>					
Sterilization	Autoclave at 121°C for 20 Minutes					
Package Content	1 x Micropipette, 1 x Calibration Key, 1 x Instruction Manual, 1 x Quality Assurance Form, 1 x Bag of Pipette Tip(s)					
Package Type	Cardboard Box					
Warranty	2 years comprehensive					

#### 04. Specifications for Single channel (variable) (10-200µl)

Description	Requirements	Conf	ormity	lf No,
Description	requiremente		No	Bidder' s Respon se
Brand	(Specify)			
Model	(Specify)			
Country of Origin	(Specify)			
Calibration certificate	(Specify)			
Manufacturing quality Certification	(Specify)			
Volume Range	10-200 µl			
Accuracy	±1.8 - 0.8%			
Repeatability	≤0.5 - 0.15%			
Compatible Tips	C2002V2			
Sterilization	Autoclave at 121°C for 20 Minutes			
Package Content	1 x Micropipette, 1 x Calibration Key, 1 x Instruction Manual, 1 x Quality Assurance Form, 1 x Bag of Pipette Tip(s)			
Package Type	Cardboard Box			
Warranty	2 years comprehensive			

#### Conformity Description **Requirements** If No, Yes No Bidder' S Respon se Brand (Specify) (Specify) Model Country of Origin (Specify) Calibration certificate (Specify) Manufacturing quality (Specify) Certification Volume Range 1-10 µl Accuracy ±2.5 - 1.0% Repeatability ≤1.5 - 0.4% Compatible Tips C2002V1 Autoclave at 121°C for 20 Sterilization Minutes 1 x Micropipette, 1 x Package Content Calibration Key, 1 x Instruction Manual, 1 x Quality Assurance Form, 1 x Bag of Pipette Tip(s) Package Type Cardboard Box Warranty 2 years comprehensive

#### 05. Specifications for Single channel (variable) (1-10µl)

## Section V Quotation

### **Submission Form**

[The Vendor shall fill in this Form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions will be accepted.]

Date:....

To:

Vice Chancellor, Faculty of Medicine, University of Ruhuna, Karapitiya.

We, the undersigned, declare that:

- (a) We have examined and have no reservations to the document issued;
- (b) We offer to supply in conformity with the documents issued and in accordance with the Delivery Schedules specified in the Schedule of Requirements, the following Goods – Supply, Installation, Commissioning, Testing and Maintenance of -20<sup>o</sup> C Freezer and Pipettes for the Faculty of Medicine, University of Ruhuna, Karapitiya, Galle.
  - (c) The total price of our quotation including any discounts offered is: [insert the total quoted price in words and in figures];.....

.....

(Excluding VAT)

- (d) Our quotation shall be valid for the period of time specified in ITV Sub-Clause 8.1, from thedate fixed for the quotation submission deadline in accordance with ITV Sub-Clause 11.1, and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- (e) We understand that this quotation, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us.
- (f) We understand that you are not bound to accept the lowest evaluated quotation or any other quotation that you may receive.

Signed: [insert signature of person whose name and capacity are shown]

Company Seal.....

Dated:

#### **PRICE SCHEDULE**

Item. No.	Description	Qty.	Unit Rate. (Rs. & Cts) Without VAT	Total Amount (Rs. & Cts.) Without VAT	VAT (Rs. & Cts)	Delivery period
1	-20 <sup>0</sup> C Freezer	1 Nos				
2	Multi- Channel Micro Pipette (30- 300µl)	2 Nos				
3	Single channel (variable) (100- 1000µl)	1 Nos				
4	Single channel (variable) (10-200µl)	1 Nos				
5	Single channel (variable) (1-10µl)	1 Nos				
Total						

specified in the Invitation for Quotations.

We also confirm that the warranty/guarantee specified shall apply to the offered goods.

Name of the Bidder & contact numbers

Date

.....

Signature of the Bidder

## **Manufacturer's Authorization**

[If requested under ITV clause 7.3, the Bidder shall require the Manufacturer to fill in this Form inaccordance with the instructions indicated.]

Date:

#### WHEREAS

We [insert complete name of Manufacturer], who are official manufacturers of [insert type of goods manufactured], having factories at [insert full address of Manufacturer's factories], do hereby authorize [insert complete name of Bidder] to submit a quotation the purpose of which is to provide the following Goods, manufactured by us [insert name and or brief description of the Goods], and to subsequently negotiate and supply the goods.

We hereby extend our full guarantee and warranty with respect to the Goods offered by the above firm.

Signed:[insert signature(s) of authorized representative(s) of the Manufacturer]

Name: [insert complete name(s) of authorized representative(s) of the Manufacturer]Title: [insert

title]

Duly authorized to sign this Authorization on behalf of: [insert complete name of Bidder]Dated on

\_\_day of \_\_\_\_\_\_, \_\_\_[insert date of signing]